

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**






FIG. 2B




FIG. 2A




FIG. 2C




FIG. 2D




FIG. 3A




FIG. 3B




FIG. 3C




FIG. 4




FIG. 5




FIG. 6








FIG. 7



FIG. 8



9/26

BS-AE (A549-T12)




FIG. 10A

BS-8 (A549-T12)




FIG. 10B




FIG. 10C

11/26




FIG. 11A




FIG. 11B

12/26




FIG. 12A




FIG. 12B




FIG. 13A




FIG. 13B

FIG. 14

FIG. 14A	FIG. 14C
FIG. 14B	FIG. 14D





FIG. 14A





FIG. 14B




FIG. 14C

18/26





FIG. 14D

FIG. 15A	FIG. 15B
-------------	-------------

FIG. 15

19/26





FIG. 15A




FIG. 15B

FIG. 16A	FIG. 16B
-------------	-------------

FIG. 16

21/26




FIG. 16A

22/26







FIG. 16B



LIVER

(300mg/kg of BS-AE)



KIDNEY

FIG. 17




FIG. 18




FIG. 19




FIG. 20